Complete if Known Substitute for form 1449/PTO 10/593,502 Application Number INFORMATION DISCLOSURE November 9, 2007 Filing Date STATEMENT BY APPLICANT **First Named Inventor** John A. Porco, Jr. Art Unit 1625 (Use as many sheets as necessary) Chandrakumar, N. Examiner Name 0079571-0110 Sheet 1 of 5 Attorney Docket Number

U.S. PATENT DOCUMENTS								
Examiner	Cite	Document Number	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where			
Initials*	No.1	Number-Kind Code ² (<i>if known</i>)	MM-DD-YYYY	Applicant of Cited Document	Relevant Passages or Relevant Figures Appear			
	A1	US 6,099,751	08-08-2000	MEYER et al.				
	A2	US 5,169,943	12-08-1992	LUBINEAU et al.				
	A3	US 2008-0177093 A1	07-24-2008	JONES et al.				
	A4	US 2009-0299081 A1	12-03-2009	PORCO				
	A5	60/802,560	05-22-2006	PORCO				
	A6	60/555,448	03-23-2004	PORCO et al.				
	A7	60/612,009	09-22-2004	PORCO et al.				

	FOREIGN PATENT DOCUMENTS									
Examiner Initials*	Cite No.1	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages Or Relevant Figures Appear	T^6				
	B1	WO-2005/092876	10-06-2005	TRUSTEES OF BOSTON UNIVERSITY						
	B2	WO 2007/139749	12-06-2007	TRUSTEES OF BOSTON UNIVERSITY						
	ВЗ									
	B4									
	B5									

	NON PATENT LITERATURE DOCUMENTS							
Examiner Initials [*]	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²					
	C1	ADEMBRI <i>et al.</i> , "Influence of the solvent on the stereoselectivity of 1,3-dipolar cycloaddition of nitrile oxides on several 4-substituted 2-cyclopentenones," <i>J. Chem. Res.</i> 2003(3):126-127 (2003).						
	C2	ALTAVA et al., "On the origin of changes in topicity observed in Diels-Alder reactions catalyzed by Ti-TADDOLates," <i>Tetrahedron: Asymmetry</i> 11(24):4885-4893 (2000).						
	C3	BADER <i>et al.</i> , "Proton transfer in 3-hydroxylavone studied by high-resolution 10 K laser-excited Shpol'skii spectroscopy," <i>J. Phys. Chem. A.</i> 106:2844-2849 (2002)						
	C4	BAUER <i>et al.</i> , "Catalytic enantioselective reactions driven by photoinduced electron transfer," <i>Nature</i> 436:1139-1140 (2005).						

Examiner Signature	Date Considered	

Complete if Known Substitute for form 1449/PTO Application Number 10/593,502 **INFORMATION DISCLOSURE** November 9, 2007 Filing Date **STATEMENT BY APPLICANT** First Named Inventor John A. Porco, Jr. Art Unit 1625 (Use as many sheets as necessary) Examiner Name Chandrakumar, N. 2 of 5 0079571-0110 Sheet Attorney Docket Number

	C5	C5 BECK <i>et al.</i> , "Grossansätze zur Herstellung von α,α,α ¹ ,α ¹ -Tetraaryl-1,3-dioxolan-4,5-dimethanolen (TADDOLe): Nützliche Hilfsstoffe für die EPC-Synthese und ihre Struktur im Festkörper," <i>Chimia</i> 45:238-244 (1991).						
	C6	BHASKER GONDI <i>et al.</i> , "Hydrogen Bond Catalyzed Enantioselective Vinylogous Mukaiyama Aldol Reaction," <i>Org. Lett.</i> 7(25):5657-5660 (2005).						
	C7	BRADER <i>et al.</i> , "Bisamides, lignans, triterpenes, and insecticidal Cyclopenta[b]benzofurans from Aglaia species," <i>J. Nat. Prod.</i> 61:1482-1490 (1998).						
	C8	BURKE, "Targeting IkappaB kinase for the treatmer disorders," Curr. Opin. Drug Discov. Devel. 6:720-7		atory and other				
	C9	CHAIDIR et al., "New Insecticidal Rocaglamide Deri Duperreana (Meliaceae)," Phytochemistry 52:837-8-		Flowers of Aglaia				
	C10	CUENCA <i>et al.</i> , "Highly enantioselective protonation methylnaphthalen-1(2H)-one Li-enolate by TADDOL 3162 (2000).						
	C11	CUI et al., "Novel Cytotoxic 1H-Cyclopenta[b]Benzo Elliptica," Tetrahedron 53:17625-17632 (1997).	furan Lignan	s from Aglaia				
	C12	DAS et al., "A critical role for NF-kappa B in GATA3 differentiation in allergic airway inflammation," Natur						
	C13	DEMCHENKO, "Elimination of the Hydrogen Bondir of 3-Hydrxyflavones" <i>J. Phys. Chem. A</i> 107:4211-42		he Solvatochromism				
	C14	DIEDRICHS et al., "A Highly Efficient Synthesis of F of Ketones," Eur J. Org. Chem. 9:1731-1735 (2005)		ν a Novel α-Arylation				
	C15	DUMONTET et al., "New nitrogenous and aromatic and A. forbesii," Tetrahedron 52: 6931-6942 (1996).		om Aglaia argentwa				
	C16	GAGLIARDO <i>et al.</i> , "Persistent Activation of Nuclea Pathway in Severe Uncontrolled Asthma," <i>Am. J. R</i> 1198 (2003).						
	C17	GARG AND AGGARWAL, "Nuclear transcription factoring development," <i>Leukemia</i> 16:1053-1056 (2002).	ctor-кВ as a t	arget for cancer drug				
	C18	GERARD <i>et al.</i> , "A Biomimetic Approach to the Roc Photogeneration of Oxidopyryliums Derived from 3-Soc. 126:13620-13621 (2004).						
	C19							
	C20	LE GOURRIERECet al., "Excited State Intramolecul to Oxygen" <i>Prog. React. Kinet.</i> 19:211-275 (1994).	lar Proton Tra	ansfer Part 2: ESIPT				
	C21	GREENE et al., "Decarbalkoxylation of [beta]-keto e Tetrahedron Lett. 2707-2708 (1976).	esters-a new i	mild procedure,"				
	C22							
	C23	GUSSREGEN et al., "Insecticidal rocaglamide deriv Phytochemistry 44:1455-1461 (1997).	atives from A	glaia Duppereana,"				
Examiner Signature			Date Considered					

Complete if Known Substitute for form 1449/PTO Application Number 10/593,502 **INFORMATION DISCLOSURE** November 9, 2007 Filing Date **STATEMENT BY APPLICANT** First Named Inventor John A. Porco, Jr. Art Unit 1625 (Use as many sheets as necessary) Examiner Name Chandrakumar, N. Sheet 3 of 5 0079571-0110 Attorney Docket Number

C24 HAILES <i>et al.</i> , "A biomimetic approach to the synthesis of rocaglamide based on a photochemical [2+2] cycloaddition of a cinnamate unit to a flavone," <i>Tetrahedron Lett.</i> , 34:5313-5316 (1993). C25 HUANG <i>et al.</i> , "Tumor necrosis factor modulates transcription of myelin basic protein gene through nuclear factor kappa B in a human oligodendroglioma cell line," <i>Int. J. Dev. Neurosci.</i> 20:289-296 (2002). C26 International Search Report for PCT/US2005/010005, mailed Sept. 6, 2005. C27 International Search Report for PCT/US2005/010005, mailed Sept. 6, 2005. C28 IRURRE <i>et al.</i> , "Synthesis and structure of (4R, SR)-à, à, à'-2, 2-hexaphenyl-4, 5-dimethanol-1,3-dioxolane," <i>Tetrahedron: Asymmetry</i> , 3:1591-1596 (1992). C29 ITO <i>et al.</i> , "Preparation and structural analysis of several new alpha, alpha'-tetraaryl-1, 3-dioxolane-4, 5-dimethanols (taddols) and taddol analogs, their evaluation as titanium ligands in the enantioselective addition of methylitianium and diethylzinc reagent." <i>Helvetica Chim. Acta</i> 77:2071-2110 (1994). C30 JACOBSEN, "Highly Enantioselective Thiourea-Catalyzed Nitro-Mannich Reactions" <i>Angew. Chem., Int. Ed.</i> 44:466-468 (2005). C31 JONES <i>et al.</i> , "Fir-ka Bs an integrator of diverse signaling pathways," <i>Cardiovasc. Toxicol.</i> 3:229-254 (2003). C32 KALTSCHMIDT <i>et al.</i> , "Transcription factor NF-κB is activated in primary neurons by amyloid β peptides and in neurons surrounding early plaques from patients with Alzheimer disease," <i>Proc. Natl. Acad. Sci. USA</i> 94:2642-2647 (1997). C33 KIRSHNA, et al., "Studies towards the synthesis of FCRR toxin: an expedition entry into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." <i>Tetrahedron Lett.</i> , 45 (5) (2004). C34 LEI <i>et al.</i> , "Total synthesis of the ubiquitin-activating enzyme inhibitor (+)-panepophenanthrin," <i>Angew. Chem., Int. Ed.</i> 42:3913-3917 (2003). C35 LEGRAND <i>et al.</i> , "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," <i>Tetrahedron S</i> 4:11637-11650 (1998). C36 L			
gene through nuclear factor kappa B in a human oligodendroglioma cell line," Int. J. Dev. Neurosci. 20:289-296 (2002). C26 International Search Report for PCT/US2007/012062, mailed Aug. 5, 2008. C27 International Search Report for PCT/US2005/010005, mailed Sept. 6, 2005. C28 IRURRE et al., "Synthesis and structure of (4R,5R)-à.à.à.à.²-2,2-hexaphenyl-4,5-dimethanol-1,3-dioxolane," Tetrahedron: Asymmetry 3:1591-1596 (1992). C29 ITO et al., "Preparation and structural analysis of several new alpha, alpha, alpha-tetraaryl-1, 3-dioxolane-4,5-dimethanols (taddols) and taddol analogs, their evaluation as titanium ligands in the enantioselective addition of methyltitanium and diethylzinc reagent," Helvetica Chim. Acta 77:2071-2110 (1994). C30 JACOBSEN, "Highly Enantioselective Thiourea-Catalyzed Nitro-Mannich Reactions" Angew. Chem., Int. Ed. 44:466-468 (2005). C31 JONES et al, "NF-κB as an integrator of diverse signaling pathways," Cardiovasc. Toxicol. 3:229-254 (2003). C32 KALTSCHMIDT et al., "Transcription factor NF-κB is activated in primary neurons by amyloid β peptides and in neurons surrounding early plaques from patients with Alzheimer disease," Proc. Natl. Acad. Sci. USA 94:2642-2647 (1997). C33 KRISHNA, et al., "Studies towards the synthesis of FCRR toxin: an expedition entry into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." Tetrahedron Lett., 45 (5) (2004). C34 LEI et al., "Total synthesis of the ubiquitin-activating enzyme inhibitor (+)-panepophenanthrin," Angew. Chem., Int. Ed. 42:3913-3917 (2003). C35 LEGRAND et al., "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," Tetrahedron: Asymmetry 16:635-640 (2005). C36 LIN et al., "NF-κB in cancer: a marked target," Semin. Cancer Biol. 13:107-114 (2003). C37 LIU et al., "Ageneral protocol for the hydroxylation of C-14 in glibberellins: synthesis of 14β-hydroxy-GA, methyl ester." Tetrahedron: 54:11637-11650 (1998). C40 NUCROHO et al., "An Chem. Soc. 125:12094-12095 (2003). C41	C24	photochemical [2+2] cycloaddition of a cinnamate unit to a flavone," <i>Tetrahedron Lett.</i> , 34:5313-5316 (1993).	
C27 International Search Report for PCT/US2005/010005, mailed Sept. 6, 2005. C28 IRURRE et al., "Synthesis and structure of (4R,5R)-à,à,à' à'-2,2-hexaphenyl-4,5-dimethanol-1,3-dioxolane," Tetrahedron: Asymmetry 3:1591-1596 (1992). C29 ITO et al., "Preparation and structural analysis of several new alpha, alpha, alpha'-tetraaryl-1, 3-dioxolane-4, 5-dimethanols (taddols) and taddol analogs, their evaluation as titanium ligands in the enantioselective addition of methyltitanium and diethylzinc reagent," Helvetica Chim. Acta 77:2071-2110 (1994). C30 JACOBSEN, "Highly Enantioselective Thiourea-Catalyzed Nitro-Mannich Reactions" Angew. Chem., Int. Ecl. 44:466-468 (2005). C31 JONES et al., "NF-kB as an integrator of diverse signaling pathways," Cardiovasc. Toxicol. 3:229-254 (2003). C32 KALTSCHMIDT et al., "Transcription factor NF-kB is activated in primary neurons by amyloid β peptides and in neurons surrounding early plaques from patients with Alzheimer disease," Proc. Natl. Acad. Sci. USA 94:2642-2647 (1997). C33 KRISHNA, et al., "Studies towards the synthesis of FCRR toxin: an expedition entry into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." Tetrahedron Lett., 45 (5) (2004). C34 LEI et al., "Total synthesis of the ubiquitin-activating enzyme inhibitor (+)-panepophenanthrin," Angew. Chem., Int. Ed. 42:3913-3917 (2003). C35 LEGRAND et al., "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," Tetrahedron: Asymmetry 16:635-640 (2005). C36 LIN et al., "NF-kB in cancer: a marked target," Semin. Cancer Biol. 13:107-114 (2003). C37 LIU et al., "A general protocol for the hydroxylation of C-14 in gibbreellins: synthesis of 14β-hydroxy-GA, methyl ester," Tetrahedron 54:11637-11650 (1998). C38 MATTSON et al., "NF-kapaB in neuronal plasticity and neurodegenerative disorders," J. Clin. Invest. 107:247-254 (2001). McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brensted Acids," J. Am. Chem. Soc. 125:12094-12095 (C25	gene through nuclear factor kappa B in a human oligodendroglioma cell line," Int. J.	
 C28 IRURRE et al., "Synthesis and structure of (4R,5R)-à,à,à,à'-2,2-hexaphenyl-4,5-dimethanol-1,3-dioxolane," Tetrahedron: Asymmetry 3:1591-1596 (1992). C29 ITO et al., "Preparation and structural analysis of several new alpha, alpha, alpha, alpha alpha' tetraaryl-1, 3-dioxolane-4, 5-dimethanols (taddols) and taddol analogs, their evaluation as titanium ligands in the enantioselective addition of methyltitanium and diethylzinc reagent," Helvetica Chim. Acta 77:2071-2110 (1994). C30 JACOBSEN, "Highly Enantioselective Thiourea-Catalyzed Nitro-Mannich Reactions" Angew. Chem., Int. Ed. 44:466-468 (2005). C31 JONES et al, "NF-κB as an integrator of diverse signaling pathways," Cardiovasc. Toxicol. 3:229-254 (2003). C32 KALTSCHMIDT et al., "Transcription factor NF-κB is activated in primary neurons by amyloid β peptides and in neurons surrounding early plaques from patients with Alzheimer disease," Proc. Natl. Acad. Sci. USA 94:2642-2647 (1997). C33 KRISHNA, et al., "Studies towards the synthesis of FCRR toxin: an expedition entry into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." Tetrahedron Lett., 45 (5) (2004). C34 LEI et al., "Total synthesis of the ubiquitin-activating enzyme inhibitor (+)-panepophenanthrin." Angew. Chem., Int. Ed. 42:3913-3917 (2003). C35 LEGRAND et al., "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," Tetrahedron: Asymmetry 16:635-640 (2005). C36 LIN et al., "NF-κB in cancer: a marked target," Semin. Cancer Biol. 13:107-114 (2003). C37 LIU et al., "NF-κB in cancer: a marked target," Semin. Cancer Biol. 13:107-114 (2003). C38 MATTSON et al., "NF-κB in cancer: a claysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," J. Am. Chem. Soc. 125:312094-12095 (2003). C40 NUGROHO et al., "Invest. 107:247-254 (2001). C41 NUGROHO et al., "An Insecticidal Rocaglamide Derivatives and Related Compounds from Agl	C26	International Search Report for PCT/US2007/012062, mailed Aug. 5, 2008.	
 dimethanol-1,3-dioxolane," <i>Tetrahedron: Asymmetry</i> 3:1591-1596 (1992). C29 ITO et al., "Preparation and structural analysis of several new alpha, alpha, alpha' tetraaryl-1, 3-dioxolane-4, 5-dimethanols (taddols) and taddol analogs, their evaluation as titanium ligands in the enantioselective addition of methyltitanium and diethylzinc reagent," <i>Helvetica Chim. Acta</i> 77:2071-2110 (1994). C30 JACOBSEN, "Highly Enantioselective Thiourea-Catalyzed Nitro-Mannich Reactions" <i>Angew. Chem., Int. Ed.</i> 44:466-468 (2005). C31 JONES et al, "NF-kB as an integrator of diverse signaling pathways," <i>Cardiovasc. Toxicol.</i> 3:229-254 (2003). C32 KALTSCHMIDT et al., "Transcription factor NF-kB is activated in primary neurons by amyloid β peptides and in neurons surrounding early plaques from patients with Alzheimer disease," <i>Proc. Natl. Acad. Sci. USA</i> 94:2642-2647 (1997). C33 KRISHNA, et al., "Studies towards the synthesis of FCRR toxin: an expedition entry into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." <i>Tetrahedron Lett.</i>, 45 (5) (2004). C34 LEI et al., "Total synthesis of the ubiquitin-activating enzyme inhibitor (+)-panepophenanthrin," <i>Angew. Chem., Int. Ed.</i> 42:3913-3917 (2003). C35 LEGRAND et al., "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," <i>Tetrahedron: Asymmetry</i> 16:635-640 (2005). C36 LIN et al., "NF-kB in cancer: a marked target," <i>Semin. Cancer Biol.</i> 13:107-114 (2003). C37 LIU et al., "A general protocol for the hydroxylation of C-14 in gibberellins: synthesis of 14β-hydroxy-GA₁ methyl ester," <i>Tetrahedron</i> 54:11637-11650 (1998). C38 MATTSON et al., "NF-kappaB in neuronal plasticity and neurodegenerative disorders," <i>J. Clin. Invest.</i> 107:247-254 (2001). C39 McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," <i>J. Am. Chem. Soc.</i> 125:3418-3419 (2004). C40 NUGROHO et al., "	C27	International Search Report for PCT/US2005/010005, mailed Sept. 6, 2005.	
tetraaryl-1, 3-dioxolane-4, 5-dimethanols (faddols) and taddol analogs, their evaluation as titanium ligands in the enantioselective addition of methyltitanium and diethylzinc reagent," Helvetica Chim. Acta 77:2071-2110 (1994). C30 JACOBSEN, "Highly Enantioselective Thiourea-Catalyzed Nitro-Mannich Reactions" Angew. Chem., Int. Ed. 44:466-468 (2005). C31 JONES et al. "NF-κB as an integrator of diverse signaling pathways," Cardiovasc. Toxicol. 3:229-254 (2003). C32 KALTSCHMIDT et al., "Transcription factor NF-κB is activated in primary neurons by amyloid β peptides and in neurons surrounding early plaques from patients with Alzheimer disease," Proc. Natl. Acad. Sci. USA 94:2642-2647 (1997). C33 KRISHNA, et al., "Studies towards the synthesis of FCRR toxin: an expedition entry into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." Tetrahedron Lett., 45 (5) (2004). C34 LEI et al., "Total synthesis of the ubiquitin-activating enzyme inhibitor (+)-panepophenanthrin," Angew. Chem., Int. Ed. 42:3913-3917 (2003). C35 LEGRAND et al., "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," Tetrahedron: Asymmetry 16:635-640 (2005). C36 LIN et al., "NF-κB in cancer: a marked target," Semin. Cancer Biol. 13:107-114 (2003). C37 LIU et al., "A general protocol for the hydroxylation of C-14 in gibberellins: synthesis of 14β-hydroxy-GA ₁ methyl ester," Tetrahedron 54:11637-11650 (1998). C38 MATTSON et al., "NF-kappaB in neuronal plasticity and neurodegenerative disorders," J. Clin. Invest. 107:247-254 (2001). C39 McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," J. Am. Chem. Soc. 125:12094-12095 (2003). C40 NUGENT et al., "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," J. Am. Chem. Soc. 126:3418-3419 (2004). C41 NUGROHO et al., "Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," Phytochemistry 51:367-376 (1999).	C28		
 Angew. Chem., Int. Ed. 44:466-468 (2005). C31 JONES et al. "NF-kB as an integrator of diverse signaling pathways," Cardiovasc. Toxicol. 3:229-254 (2003). C32 KALTSCHMIDT et al., "Transcription factor NF-kB is activated in primary neurons by amyloid β peptides and in neurons surrounding early plaques from patients with Alzheimer disease," Proc. Natl. Acad. Sci. USA 94:2642-2647 (1997). C33 KRISHNA, et al., "Studies towards the synthesis of FCRR toxin: an expedition entry into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." Tetrahedron Lett., 45 (5) (2004). C34 LEI et al., "Total synthesis of the ubiquitin-activating enzyme inhibitor (+)-panepophenanthrin," Angew. Chem., Int. Ed. 42:3913-3917 (2003). C35 LEGRAND et al., "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," Tetrahedron: Asymmetry 16:635-640 (2005). C36 LIN et al., "NF-kB in cancer: a marked target," Semin. Cancer Biol. 13:107-114 (2003). C37 LIU et al., "A general protocol for the hydroxylation of C-14 in gibberellins: synthesis of 14β-hydroxy-GA₁ methyl ester," Tetrahedron 54:11637-11650 (1998). C38 MATTSON et al., "NF-kappaB in neuronal plasticity and neurodegenerative disorders," J. Clin. Invest. 107:247-254 (2001). C39 McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," J. Am. Chem. Soc. 125:12094-12095 (2003). C40 NUGENT et al., "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," J. Am. Chem. Soc. 126:3418-3419 (2004). C41 NUGROHO et al., "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," Phytochemistry 45:1579-1585 (1997). C42 NUGROHO et al., "NF-kB as a therapeutic target in cancer," Trends Mol. Med. 8:385- 	C29	tetraaryl-1, 3-dioxolane-4, 5-dimethanols (taddols) and taddol analogs, their evaluation as titanium ligands in the enantioselective addition of methyltitanium and	
C31 JONES et al, "NF-κB as an integrator of diverse signaling pathways," Cardiovasc. Toxicol. 3:229-254 (2003). C32 KALTSCHMIDT et al., "Transcription factor NF-κB is activated in primary neurons by amyloid β peptides and in neurons surrounding early plaques from patients with Alzheimer disease," Proc. Natl. Acad. Sci. USA 94:2642-2647 (1997). C33 KRISHNA, et al., "Studies towards the synthesis of FCRR toxin: an expedition entry into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." Tetrahedron Lett., 45 (5) (2004). C34 LEI et al., "Total synthesis of the ubiquitin-activating enzyme inhibitor (+)-panepophenanthrin," Angew. Chem., Int. Ed. 42:3913-3917 (2003). C35 LEGRAND et al., "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," Tetrahedron: Asymmetry 16:635-640 (2005). C36 LIN et al., "NF-κB in cancer: a marked target," Semin. Cancer Biol. 13:107-114 (2003). C37 LIU et al., "A general protocol for the hydroxylation of C-14 in gibberellins: synthesis of 14β-hydroxy-GA₁ methyl ester," Tetrahedron 54:11637-11650 (1998). C38 MATTSON et al., "NF-kappaB in neuronal plasticity and neurodegenerative disorders," J. Clin. Invest. 107:247-254 (2001). C39 McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," J. Am. Chem. Soc. 125:12094-12095 (2003). C40 NUGENT et al., "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," J. Am. Chem. Soc. 126:3418-3419 (2004). C41 NUGROHO et al., "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," Phytochemistry 45:1579-1585 (1997). C42 NUGROHO et al., "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," Phytochemistry 51:367-376 (1999). C43 ORLOWSKI et al., "NF-kB as a therapeutic target in cancer," Trends Mol. Med. 8:385-	C30		
 amyloid β peptides and in neurons surrounding early plaques from patients with Alzheimer disease," <i>Proc. Natl. Acad. Sci. USA</i> 94:2642-2647 (1997). C33 KRISHNA, et al., "Studies towards the synthesis of FCRR toxin: an expedition entry into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." <i>Tetrahedron Lett.</i>, 45 (5) (2004). C34 LEI <i>et al.</i>, "Total synthesis of the ubiquitin-activating enzyme inhibitor (+)-panepophenanthrin," <i>Angew. Chem., Int. Ed.</i> 42:3913-3917 (2003). C35 LEGRAND <i>et al.</i>, "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," <i>Tetrahedron: Asymmetry</i> 16:635-640 (2005). C36 LIN et al., "NF-κB in cancer: a marked target," <i>Semin. Cancer Biol.</i> 13:107-114 (2003). C37 LIU <i>et al.</i>, "A general protocol for the hydroxylation of C-14 in gibberellins: synthesis of 14β-hydroxy-GA₁ methyl ester," <i>Tetrahedron</i> 54:11637-11650 (1998). C38 MATTSON et al., "NF-kappaB in neuronal plasticity and neurodegenerative disorders," <i>J. Clin. Invest.</i> 107:247-254 (2001). C39 MCDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," <i>J. Am. Chem. Soc.</i> 125:12094-12095 (2003). C40 NUGENT <i>et al.</i>, "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," <i>J. Am. Chem. Soc.</i> 126:3418-3419 (2004). C41 NUGROHO <i>et al.</i>, "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," <i>Phytochemistry</i> 45:1579-1585 (1997). C42 NUGROHO <i>et al.</i>, "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," <i>Phytochemistry</i> 51:367-376 (1999). C43 ORLOWSKI <i>et al.</i>, "NF-kB as a therapeutic target in cancer," <i>Trends Mol. Med.</i> 8:385- 	C31	JONES et al, "NF-κB as an integrator of diverse signaling pathways," Cardiovasc.	
into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." Tetrahedron Lett., 45 (5) (2004). C34 LEI et al., "Total synthesis of the ubiquitin-activating enzyme inhibitor (+)-panepophenanthrin," Angew. Chem., Int. Ed. 42:3913-3917 (2003). C35 LEGRAND et al., "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," Tetrahedron: Asymmetry 16:635-640 (2005). C36 LIN et al., "NF-κB in cancer: a marked target," Semin. Cancer Biol. 13:107-114 (2003). C37 LIU et al., "A general protocol for the hydroxylation of C-14 in gibberellins: synthesis of 14β-hydroxy-GA₁ methyl ester," Tetrahedron 54:11637-11650 (1998). C38 MATTSON et al., "NF-kappaB in neuronal plasticity and neurodegenerative disorders," J. Clin. Invest. 107:247-254 (2001). C39 McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," J. Am. Chem. Soc. 125:12094-12095 (2003). C40 NUGENT et al., "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," J. Am. Chem. Soc. 126:3418-3419 (2004). C41 NUGROHO et al., "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," Phytochemistry 45:1579-1585 (1997). C42 NUGROHO et al., "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," Phytochemistry 51:367-376 (1999). C43 ORLOWSKI et al., "NF-kB as a therapeutic target in cancer," Trends Mol. Med. 8:385-	C32	amyloid β peptides and in neurons surrounding early plaques from patients with	
panepophenanthrin," <i>Angew. Chem., Int. Ed.</i> 42:3913-3917 (2003). C35 LEGRAND <i>et al.</i> , "Synthesis, NMR conformational studies and host-guest behaviour of new (+)-tartaric acid derivatives," <i>Tetrahedron: Asymmetry</i> 16:635-640 (2005). C36 LIN et al., "NF-κB in cancer: a marked target," <i>Semin. Cancer Biol.</i> 13:107-114 (2003). C37 LIU <i>et al.</i> , "A general protocol for the hydroxylation of C-14 in gibberellins: synthesis of 14β-hydroxy-GA₁ methyl ester," <i>Tetrahedron</i> 54:11637-11650 (1998). C38 MATTSON et al., "NF-kappaB in neuronal plasticity and neurodegenerative disorders," <i>J. Clin. Invest.</i> 107:247-254 (2001). C39 McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," <i>J. Am. Chem. Soc.</i> 125:12094-12095 (2003). C40 NUGENT <i>et al.</i> , "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," <i>J. Am. Chem. Soc.</i> 126:3418-3419 (2004). C41 NUGROHO <i>et al.</i> , "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," <i>Phytochemistry</i> 45:1579-1585 (1997). C42 NUGROHO <i>et al.</i> , "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," <i>Phytochemistry</i> 51:367-376 (1999). C43 ORLOWSKI <i>et al.</i> , "NF-kB as a therapeutic target in cancer," <i>Trends Mol. Med.</i> 8:385-	C33	into 7-5-6 ring systems via [5+2] oxidopyrylium-alkene cycloaddition." Tetrahedron	
of new (+)-tartaric acid derivatives," <i>Tetrahedron: Asymmetry</i> 16:635-640 (2005). C36 LIN et al., "NF-κB in cancer: a marked target," <i>Semin. Cancer Biol.</i> 13:107-114 (2003). C37 LIU et al., "A general protocol for the hydroxylation of C-14 in gibberellins: synthesis of 14β-hydroxy-GA ₁ methyl ester," <i>Tetrahedron</i> 54:11637-11650 (1998). C38 MATTSON et al., "NF-kappaB in neuronal plasticity and neurodegenerative disorders," <i>J. Clin. Invest.</i> 107:247-254 (2001). C39 McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," <i>J. Am. Chem. Soc.</i> 125:12094-12095 (2003). C40 NUGENT et al., "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," <i>J. Am. Chem. Soc.</i> 126:3418-3419 (2004). C41 NUGROHO et al., "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," <i>Phytochemistry</i> 45:1579-1585 (1997). C42 NUGROHO et al., "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," <i>Phytochemistry</i> 51:367-376 (1999). C43 ORLOWSKI et al., "NF-kB as a therapeutic target in cancer," <i>Trends Mol. Med.</i> 8:385-	C34		
 C37 LIU <i>et al.</i>, "A general protocol for the hydroxylation of C-14 in gibberellins: synthesis of 14β-hydroxy-GA₁ methyl ester," <i>Tetrahedron</i> 54:11637-11650 (1998). C38 MATTSON et al., "NF-kappaB in neuronal plasticity and neurodegenerative disorders," <i>J. Clin. Invest.</i> 107:247-254 (2001). C39 McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," <i>J. Am. Chem. Soc.</i> 125:12094-12095 (2003). C40 NUGENT <i>et al.</i>, "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," <i>J. Am. Chem. Soc.</i> 126:3418-3419 (2004). C41 NUGROHO <i>et al.</i>, "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," <i>Phytochemistry</i> 45:1579-1585 (1997). C42 NUGROHO <i>et al.</i>, "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," <i>Phytochemistry</i> 51:367-376 (1999). C43 ORLOWSKI <i>et al.</i>, "NF-kB as a therapeutic target in cancer," <i>Trends Mol. Med.</i> 8:385- 	C35		
14β-hydroxy-GA ₁ methyl ester," <i>Tetrahedron</i> 54:11637-11650 (1998). C38 MATTSON et al., "NF-kappaB in neuronal plasticity and neurodegenerative disorders," <i>J. Clin. Invest.</i> 107:247-254 (2001). C39 McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," <i>J. Am. Chem. Soc.</i> 125:12094-12095 (2003). C40 NUGENT <i>et al.</i> , "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," <i>J. Am. Chem. Soc.</i> 126:3418-3419 (2004). C41 NUGROHO <i>et al.</i> , "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," <i>Phytochemistry</i> 45:1579-1585 (1997). C42 NUGROHO <i>et al.</i> , "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," <i>Phytochemistry</i> 51:367-376 (1999). C43 ORLOWSKI <i>et al.</i> , "NF-kB as a therapeutic target in cancer," <i>Trends Mol. Med.</i> 8:385-	C36		
disorders," <i>J. Clin. Invest.</i> 107:247-254 (2001). C39 McDOUGAL et al., "Asymmetric Morita-Baylis-Hillman Reactions Catalyzed by Chiral Brønsted Acids," <i>J. Am. Chem. Soc.</i> 125:12094-12095 (2003). C40 NUGENT <i>et al.</i> , "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," <i>J. Am. Chem. Soc.</i> 126:3418-3419 (2004). C41 NUGROHO <i>et al.</i> , "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," <i>Phytochemistry</i> 45:1579-1585 (1997). C42 NUGROHO <i>et al.</i> , "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," <i>Phytochemistry</i> 51:367-376 (1999). C43 ORLOWSKI <i>et al.</i> , "NF-kB as a therapeutic target in cancer," <i>Trends Mol. Med.</i> 8:385-	C37		
Brønsted Acids," <i>J. Am. Chem. Soc.</i> 125:12094-12095 (2003). C40 NUGENT <i>et al.</i> , "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-Henry Reaction," <i>J. Am. Chem. Soc.</i> 126:3418-3419 (2004). C41 NUGROHO <i>et al.</i> , "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," <i>Phytochemistry</i> 45:1579-1585 (1997). C42 NUGROHO <i>et al.</i> , "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," <i>Phytochemistry</i> 51:367-376 (1999). C43 ORLOWSKI <i>et al.</i> , "NF-kB as a therapeutic target in cancer," <i>Trends Mol. Med.</i> 8:385-	C38		
Henry Reaction," <i>J. Am. Chem. Soc.</i> 126:3418-3419 (2004). C41 NUGROHO <i>et al.</i> , "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," <i>Phytochemistry</i> 45:1579-1585 (1997). C42 NUGROHO <i>et al.</i> , "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," <i>Phytochemistry</i> 51:367-376 (1999). C43 ORLOWSKI <i>et al.</i> , "NF-kB as a therapeutic target in cancer," <i>Trends Mol. Med.</i> 8:385-	C39		
C41 NUGROHO et al., "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A. Harmisiana," Phytochemistry 45:1579-1585 (1997). C42 NUGROHO et al., "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," Phytochemistry 51:367-376 (1999). C43 ORLOWSKI et al., "NF-kB as a therapeutic target in cancer," Trends Mol. Med. 8:385-	C40	NUGENT et al., "Chiral Proton Catalysis: A Catalytic Enantioselective Direct Aza-	
C42 NUGROHO <i>et al.</i> , "An Insecticidal Rocaglamide Derivatives and Related Compounds from Aglaia Odorata (Meliaceae)," <i>Phytochemistry</i> 51:367-376 (1999). C43 ORLOWSKI <i>et al.</i> , "NF-kB as a therapeutic target in cancer," <i>Trends Mol. Med.</i> 8:385-	C41	NUGROHO et al., "Insecticidal Rocaglamide Derivatives from Aglaia elliptica and A.	
C43 ORLOWSKI et al., "NF-kB as a therapeutic target in cancer," Trends Mol. Med. 8:385-	C42	NUGROHO et al., "An Insecticidal Rocaglamide Derivatives and Related Compounds	
	C43		

Date
Considered

Complete if Known Substitute for form 1449/PTO Application Number 10/593,502 **INFORMATION DISCLOSURE** Filing Date November 9, 2007 **STATEMENT BY APPLICANT** First Named Inventor John A. Porco, Jr. Art Unit 1625 (Use as many sheets as necessary) Examiner Name Chandrakumar, N. of Sheet 4 5 0079571-0110 Attorney Docket Number

C44	DAOLIETTE et al. "The alliversus Katana (al Katal) and Dalated Dagmana manufa"	
C44	PAQUETTE et al., "The α -Hydroxy Ketone (α -Ketol) and Related Rearrangements" Org. React. 62: 477-567 (2003).	L
C45	PROKSCH <i>et al.</i> , "Chemistry and biological activity of rocaglamide derivatives and related compounds in <i>Aglaia</i> species (Meliaceae)," <i>Curr. Org. Chem.</i> 5:923-938 (2001).	
C46	QUADRELLI <i>et al.</i> , "Intra- and Intermolecular Hydrogen Bonding Effects in Cycloadditions between Nitrile Oxides and 4-Benzoylamino-2-cyclopenten-1-ol and Its Derivatives," <i>Eur J. Org. Chem.</i> 13:2058-2065 (2002).	
C47	RASTOGI <i>et al.</i> , "Intramolecular excited-state proton-transfer studies on flavones in different environments," <i>Spectrochim. Acta, Part A</i> 57:299-308 (2001).	
C48	RENTZEA et al., "α-ketol-umlagerung von myrsinol zum iso-myrsinol und mögliche biogenese des myrsinan-derüstes," <i>Tetrahedron Lett.</i> 23:1785-1788 (1982).	
C49	ROSHAK <i>et al.</i> , "Small-molecule inhibitors of NF-kB for the treatment of inflammatory joint disease," <i>Curr. Opin. Pharmacol.</i> 2:316-321 (2002).	
C50	ROSHAL <i>et al.</i> , "Flavonols and Crown-Flavonols as Metal Cation Chelators. The Different Nature of Ba ² and Mg ²⁺ Complexes" <i>J. Phys. Chem.</i> 102:5907-5914 (1998).	
C51	SAMANTA <i>et al.</i> , "Evidence of Ground-State Proton Transfer Reaction of 3- Hydroxyflavone in Neutral Alcoholic Solvents" <i>J. Phys. Chem. A</i> 107:6334-6339 (2003).	
C52	SEEBACH <i>et al.</i> , "On the Ti-TADDOLate-Catalyzed Diels-Alder Addition of 3-Butenoyl-1,3-Oxazolidin-2-One to Cyclopentadiene. General Features of Ti-BINOLate- and Ti-TADDOLate-Mediated Reactions," <i>J. Org. Chem.</i> 60:1788 (1995).	
C53	SEEBACH <i>et al.</i> , "Mixed β-Peptides: A unique helical secondary structure in solution. Preliminary communication," <i>Helv. Chim. Acta</i> 80:2033-2038 (1997).	
C54	SEEBACH <i>et al.</i> , "TADDOLs, Their Derivatives, and TADDOL Analogues: Versatile Chiral Auxiliaries," <i>Angew. Chem. Int. Ed.</i> 40:92-138 (2001).	
C55	SHOELSON <i>et al.</i> , "Inflammation and the IKK beta/I $\kappa\beta$ /NF- $\kappa\beta$ axis in obesity- and diet-induced insulin resistance," <i>Int. J. Obes. Relat. Metab. Disord.</i> 27 (Supp. 3):S49-S52 (2003).	
C56	TANAKA <i>et al.</i> , "Enantioselective [2 + 2] photodimerization reactions of coumarins in solution," <i>Org. Lett.</i> 7:1501-1503 (2005).	
C57	TAYLOR <i>et al.</i> , "Asymmetric Catalysis by Chiral Hydrogen-Bond Donors" <i>Angew. Chem., Int. Ed.</i> 45:1520-1543 (2006).	
C58	THADANI et al., "Enantioselective Diels-Alder reactions catalyzed by hydrogen bonding," Proc. Natl. Acad. Sci. U.S.A. 101:5846-5850 (2004).	
C59	VALEN et al., "Nuclear factor kappa-B and the heart," J. Am. Coll. Cardiol. 38:307-314 (2001).	
C60	VAN HEEL <i>et al.</i> , "Inflammatory bowel disease is associated with a TNF polymorphism that affects an interaction between the OCT1 and NF-κB transcription factors," <i>Hum. Mol. Genet.</i> 11:1281-1289 (2002).	
C61	WESSIG, "Organocatalytic Enantioselective Photoreactions" <i>Angew. Chem., Int. Ed.</i> 45:2168-2171 (2006).	

Examiner Signature	Date Considered	

Sub	ostitute for form 1449/PTO			Complete if Known		
				Application Number 10/593,502		
l IN	NFORMATION	1 DI	SCLOSURE	Filing Date	November 9, 2007	
l s	TATEMENT E	3Y /	APPLICANT	First Named Inventor	John A. Porco, Jr.	
				Art Unit	1625	
	(Use as many she	eets as	s necessary)	Examiner Name	Chandrakumar, N.	
Sheet	5	of	5	Attorney Docket Number	0079571-0110	

C	YAMAMOTO <i>et al.</i> , "Bronsted Acid Catalysis of Achiral Enamine for Regio- and Enantioselective Nitroso Aldol Synthesis" <i>J. Am. Chem. Soc.</i> 127:1080-1081 (2005).	
С	YAMAMOTO <i>et al.</i> , "Role of the NF-κB Pathway in the Pathogenesis of Human Disease States," <i>Curr. Mol., Med.</i> 1:287-296 (2001).	
С	YAMAMOTO <i>et al.</i> , "Therapeutic potential of inhibition of the NF-κB pathway in the treatment of inflammation and cancer" <i>J. Clin. Invest.</i> 107:135-142 (2001).	
C	YANG <i>et al.</i> , "Essential Role of Nuclear Factor κB in the Induction of Eosinophilia in Allergic Airway Inflammation" <i>J. Exp. Med.</i> 188:1739-1750 (1998).	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner	Date	
Signature	Considered	
		i

¹Applicant's unique citation designation number (optional). 2Applicant is to place a check mark here if English language Translation is attached.